

Values Review Page

The following table identifies ontologies to be reviewed for proper and consistent use of values.

Ontology, Value Class or property	Change	Hits	Reason
Business Facing Types	Deprecate – review current usage	156 / 15	Not well supported by OWL, insufficient net value
fibonacci-arr-id;Identifier	fibonacci-arr-id;TextIdentifier (Subclass of AtomicValue)	22/16	Current IDs assume a text property, create this class to capture that assumption.
fibonacci-arr-id;Identifier	Subclass of Value		Allows for non-text ID. Issue:FND-91
fibonacci-dt-bd	Review for subclasses and proper use of values	27/2	
fibonacci-dt-fd	Review for subclasses and proper use of values	456 / 61	
fibonacci-plc-adr;Address	Review for subclasses and proper use of values	10/5	
fibonacci-qt-qtu; hasNumericValue	Subproperty of hasValue or rename to hasValue	7/5	Choice
fibonacci-qt-qtu;QuantityValue	Subclass of AtomicValue	18/5+	
fibonacci-rel-rel; hasUniqueIdentifier	Subproperty of hasValue	8/5	Note Used in individuals Choice: Just rename to hasValue?
xmlns:fibonacci-math-math	Review for subclasses and proper use of values and relate to "indices"	287 / 22	
fibonacci-md-temx-tem	Review for subclasses and proper use of values	56 / 14	

Other Choices

[• To fold “Value” and “AtomicValue” into one class with an optional “hasValue” property.](#)

[• Further review of ontologies using BFT](#)